

PROTOCOL FOR ANIMAL USE AND CARE*Handwritten forms are not accepted***CRPRC**

EH&S USE ONLY

**PROTOCOL: 9955
EXPIRES:**

Investigator		Contact	
Last Name:		Last Name:	
First:		First:	
Middle:		Middle:	
email:		email:	
Department:		Department:	
Phone / Fax:		Phone:	
After hrs. #:		After hrs. #:	

Species (common names):	Number:	Source:
Rhesus monkeys	32	CRPRC

Project Title	Endocrine disruption in adolescent monkeys-extension		
Overnight housing location::		Day use only :	
Animals will be maintained by:	[X] Vivarium [] Investigator <i>(If investigator maintained, attach husbandry SOP's.)</i>		

Procedures: Provide a one or two sentence layman's description of the procedures employed on the animals in this project. This information will help the animal care staff understand any conditions they may encounter while caring for your animals.

Female rhesus monkey treated with endocrine disrupting agents during adolescence (protocol 8468) will be maintained at CRPRC for one-year while awaiting decisions on proposals submitted to continue their evaluation. Blood samples will be obtained at 3-month intervals to track changes in blood parameters that were found to persist after discontinuation of dosing.

Special Husbandry Requirements: Describe any special requirements your animals have with respect to **food, water, temperature, humidity, light cycles, caging type, bedding**, or any other conditions of husbandry.

No special requirements.

Other instructions for animal care staff: (check applicable entries)

Sick Animals	Dead Animals	Pest Control
<input checked="" type="checkbox"/> Call Investigator	<input checked="" type="checkbox"/> Call Investigator	<input checked="" type="checkbox"/> Call Investigator
<input type="checkbox"/> Clinician to treat	<input type="checkbox"/> Save for Investigator	<input type="checkbox"/> OK to use pesticides
<input type="checkbox"/> Terminate	<input type="checkbox"/> Bag for disposal	<input type="checkbox"/> No Pesticides in animal area
<input type="checkbox"/> Necropsy	<input type="checkbox"/> Necropsy	

Hazardous Materials *(only if in the animal room):*

Infectious Agents?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Radioisotopes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Chemical Carcinogens?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Toxic Chemicals?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	

Funding source:	USEPA	Previously approved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Is the project already funded?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Previous protocol number (if any):	8468

What Veterinarian or veterinary clinic will provide care for your animals? (check one)

<input type="checkbox"/>	Lab Animal Health Clinic (2-0514)	<input checked="" type="checkbox"/>	California Primate Research Center (2-0447)
<input type="checkbox"/>	VMTH Large Animal Field Service (2-0292)	<input type="checkbox"/>	Another Veterinarian

If you checked "Another Veterinarian", please provide:

Veterinarian:		Address:	
Day phone:			
Emergency phone:		Email:	

If your veterinarian is not affiliated with one of the three service units listed above, please contact the campus veterinarian, 2-2357 (email pcillman@ucdavis.edu) for current information about training and record keeping requirements.

Summary of Procedures:

a) Briefly describe the **overall intent** of the study. Include in your description a statement of your hypothesis, the objectives and significance of the study. Your target audience is a faculty member from a discipline unrelated to yours. Do not use jargon.

Financial support is currently being sought to evaluate the adult health of these rhesus monkeys that were exposed to endocrine disrupting treatments during adolescence. In order to maintain the cohort under controlled environmental conditions, a new IAUCAAC protocol has been prepared. The only intervention we anticipate is quarterly blood sampling. The animals will be fed and cared for according to the standard operating procedures at CRPRC, including pair-housing, enrichment, daily health checks and veterinary treatment for health problems.

b) Procedures employed in this project:

Please check the appropriate boxes if any of these procedures will be employed in your project:

- | | | |
|---|---|--|
| <input type="checkbox"/> Monoclonal Antibody Production ** | <input type="checkbox"/> Food or water restriction | <input type="checkbox"/> Special diets; food or water treatment. |
| <input type="checkbox"/> Polyclonal Antibody Production ** | <input type="checkbox"/> Non-recovery surgical procedures | <input type="checkbox"/> Induced illness, intoxication, or disease |
| <input type="checkbox"/> LD 50 or ID50 studies. | <input type="checkbox"/> Survival surgical procedures | <input type="checkbox"/> Death as an endpoint (see i below) |
| <input checked="" type="checkbox"/> catheters, blood collection, intubation | <input type="checkbox"/> Multiple survival surgery | <input type="checkbox"/> Trapping, banding or marking wild animals |
| <input type="checkbox"/> Prolonged restraint. (8 hrs+) | <input type="checkbox"/> Behavioral modification. | <input type="checkbox"/> |
| <input type="checkbox"/> Fasting prior to a procedure. | <input type="checkbox"/> Aversive conditioning. | <input type="checkbox"/> |

** If this protocol only describes antibody production, you may use the attached antibody production page in lieu of completing section c below.

c) Describe the use of animals in your project in detail, with special reference to any of procedures checked above. Include any physical, chemical or biological agents that may be administered. List each study group, and describe all the specific procedures that will be performed on each animal in each study group. Use terminology that will be understood by individuals outside your field of expertise. (Note: This cell will expand to whatever length you require. You may make this section as long as you wish, but try to be concise. Some projects may require one or two pages.)

The young monkeys (36-48 months of age) will be maintained indoors in a single cage room in the bottom row of cages. They will be pair-housed according to standard CRPRC protocols. Blood samples will be taken quarterly to for a CBC, flow cytometry enumeration circulating lymphocyte populations and hormones (estrogen, cortisol, insulin, thyroid). Blood samples (5 mL) will be obtained from the cephalic or saphenous vein from monkeys restrained in the pull-back cage. Other evaluations may be added by amendment as data from the preceding protocol is summarized and analyzed.

d) **Study Groups and Numbers:** Define, in the form of a table, the numbers of animals to be used in each experimental group described above. The table may be presented on a separate page as an attachment to this protocol if you prefer. The Normal format should be three columns: Study Group, Procedure, Number of animals. The number of rows should follow from the number of study groups; **you may add as many rows as you require**. The chart must fully account for the number of animals you intend to use under this protocol. Assign each group to an invasiveness category according to the chart below.

Group	Procedures / Drugs	Number of Animals	Category
Control	No drugs or treatments will be administered. Groups were established by previous drug treatment.	8	1
DES 0.5 mg/kg		8	1
MXC 50 mg/kg		8	1
MXC 25 mg/kg		8	1

Categories of invasiveness

Category	Description
1	Little or no discomfort or stress Examples: domestic flocks or herds being maintained in simulated or actual commercial production management systems; the short-term and skillful restraint of animals for purposes of observation or physical examination; blood sampling; injection of material in amounts that will not cause adverse reactions by the following routes: intravenous, subcutaneous, intramuscular, intraperitoneal, or oral.
2	Minor stress or pain of short duration Examples: cannulation or catheterization of blood vessels or body cavities under anesthesia; minor surgical procedures under anesthesia, such as biopsies or laparoscopy; short periods of restraint beyond that required for simple observation or examination, but consistent with minimal distress
3	Moderate to severe distress Examples: major surgical procedures conducted under general anesthesia, with subsequent recovery; prolonged (several hours or more) periods of physical restraint; induction of behavioral stresses such as maternal deprivation
4	Severe pain near, at or above the pain tolerance threshold Examples: exposure to noxious stimuli or agents whose effects are unknown; exposure to drugs, chemicals, or infectious agents at levels that markedly impair physiological systems and which cause death, severe pain, or extreme distress; Surgical experiments which have a high degree of invasiveness.

Further descriptions of these categories are included in the instructions following this document.

e) **Rationale for species and numbers:** How did you determine that 1) the species choice was appropriate and 2) the number of animals in each study groups was the minimum number necessary to achieve sound scientific results?

Maintenance of this cohort will prevent recreation of the experimental groups for follow-up studies. The group sizes were previously selected for protocol 8468 as being adequate to detect biologically significant effects on a variety of evaluative parameters such as CBC, hematology, T-cell populations, bone density, short term memory and reproductive tract morphology. These same group sizes will be appropriate for followup evaluations in these areas.

f) **Surgery:** If the project involves survival surgery, where will the surgery be conducted?

Building: Room:

Who will be the surgeon?

g) **Anesthetics, Analgesics, Tranquilizers, Neuromuscular blocking agents:**

Post procedural analgesics should be given whenever there is possibility of pain or discomfort that is more than slight or momentary. If postoperative analgesics are not to be given, justify the practice under part (i) below.

Provide the following information about any of these drugs that you intend to use in this project.

Species	Drug	Dose (mg/kg)	Route	When and how often will it be given?

h) **Neuromuscular blocking agents** can conceal inadequate anesthesia and therefore require special justification. If you are using a neuromuscular blocking agent, please complete the following:

Why do you need to use a neuromuscular blocking agent?

What physiologic parameters are monitored during the procedure to assess adequacy of anesthesia?

Under what circumstances will incremental doses of anesthetics-analgesics be administered?

i) Adverse effects:

Describe any potential adverse effects of the experiment on the animals (such as pain, discomfort; reduced growth, fever, anemia, neurological deficits; behavioral abnormalities or other clinical symptoms of acute or chronic distress or nutritional deficiency)

The animals will experience discomfort during blood draws. There is a possibility of hematomas.

How will the signs listed above be ameliorated or alleviated? If signs are not to be alleviated or ameliorated by means of post-operative analgesics or other means, explain why this is necessary.

All samples will be drawn by trained and experienced CRPRC personnel.

Note: if any unanticipated adverse effects not described above do occur during the course of the study, a complete description of those effects and the steps taken to mitigate them must be submitted to the committee as an amendment to this protocol.

Is death an endpoint in your experimental procedure? Yes No

(Note: "Death as an endpoint" refers to acute toxicity testing, assessment of virulence of pathogens, neutralization tests for toxins, and other studies in which animals are not euthanized, but die as a direct result of the experimental manipulation). If death is an endpoint, explain why it is not possible to euthanize the animals at an earlier point in the study. If you can euthanize the animals at an earlier point, describe the clinical signs which will dictate that an animal will be euthanized.

j) Literature search for alternatives and unnecessary duplication:

This section is specifically required by Federal law. You are required to conduct a literature search to determine that either 1) there are no alternative methodologies by which to conduct this study, or 2) there are alternative methodologies, but these are not appropriate for your particular study. "Alternative methodologies" refers to reduction, replacement, and refinement (the three R's) of animal use, not just animal replacement. You must also show that the study is not unnecessarily duplicative of other studies.

What was the date on which you conducted this search?

10-12/01

List the databases searched or other sources consulted (there should be more than one). Include the years covered by the search.

Database Name	Years Covered	Keywords / Search Strategy
Pubmed	All	Primate adolescence estrogen
PIF (primate information service)	All	adolescence

What were your findings with respect to alternative methodologies?

Primates have a unique pattern of adolescent development and regulation of ovarian cyclicity and so are the most appropriate species for extrapolation to humans in this area. Some hypotheses derived from the nonhuman primate study may be amenable to study in mice and in cell culture. We are currently developing pilot work in these areas.

Has this study been previously conducted?

Yes No

If the study has been conducted previously, explain why it is scientifically necessary to replicate the experiment.

k) Disposition of animals: At what point in the study, if any, will the animals be euthanized?

Monkeys will be assigned to another IUCAAC protocol or release to the breeding colony.

l) Methods of euthanasia: Even if your study does not involve killing the animals, you should show a method that you would use in the event of unanticipated injury or illness. If anesthetic overdose is the method, show the agent, dose, and route.

Species	Method	Drug	Dose (mg/kg)	route
Rhesus Monkeys	Drug overdose	pentobarbital	60	i.v.

m) Surplus animals: What will you do with any animals not euthanized at the conclusion of the project?

Return to colony

