



INSPECTION REPORT

9193 cust_id
268204 insp_id
9217 site_id

**UNIVERSITY OF CALIFORNIA,
IRVINE**

**Customer ID: 9193
Certificate: 93-R-0434**

**155 ADMINISTRATION BUILDING
IRVINE, CA 92697 3175**

**Site: 001
THE UNIVERSITY OF CALIFORNIA,**

**Inspection
Type: ROUTINE INSPECTION
Date: OCT-27-2005**

2.33 (b) (4)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

(b)Each research facility shall establish and maintain programs of adequate veterinary care that include: (4) Guidance to principal investigators and other personnel involved in the care and use of animals regarding handling, immobilization, anesthesia, analgesia, tranquilization.

-One of the protocols reviewed include physical examination of animals prior to procedure including discussions on the use of pre-anesthetic agents prior to induction of anesthesia. These may have been done in an appropriate manner but records presented for inspection do not have the following: (a) pre-op examination to describe the actual condition of the animals and (b) pre-anesthetic agents used, dose and route of administration. Adequate monitoring of the conditon of the animal can not be done without accurate record keeping. The facility shall ensure that adequate guidance are given to personnel invloved in the care and use of animals, not only to the procedures but also to record keeping. CORRECT BY NOVEMBER 28, 2005.

3.1 (c) (1)

HOUSING FACILITIES, GENERAL.

1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized.

-Paint chipping on wall on at least a couple of sections in cat study room is noted on this inspection. A corroded part at the bottom corner of entry way of the same room is also observed. These areas can n ot be adequately cleaned and sanitized with these conditions. Facility shall ensure that surfaces are maintained in good condition that allow them to be readily cleaned and sanitized. CORRECT BY NOVEMBER 27, 2005.

Note: Enclosure in pig study room was discussed with Campus Veterinarian.

Prepared By: Manuel Adviento
MANUEL ADVIENTO, V.M.O. , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER Inspector ID: 5001

Date:
OCT-27-2005

Received By: _____
Title:

Date:
OCT-27-2005

NOV - 7 2005