



26979 cust_id

279232 insp_id

34849 site_id

INSPECTION REPORT

CAREAGAIN

Customer ID: 26979

Certificate: 84-R-0071

Site: 001

CAREAGAIN

Inspection

Type: ROUTINE INSPECTION

Date: JAN-03-2007

P.O. BOX 4396
WOODLAND PARK, CO 80866

**3.125 (a)
FACILITIES, GENERAL.**

<<Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.>>

At least 3 of the 16 animals were able to leave the facility due to a large snowstorm with drifting along the inside perimeter fence and removal of a section of the primary enclosure fencing which allowed the animals to come in contact with the perimeter fence on the northeast corner of the facility. One animal traveled ~9 miles along a nearby highway before being contained by local law enforcement and collected by the owner. Two other animals did return on their own after an altercation with neighboring dogs.

The facility must be constructed and maintained such that the housing facilities protect and contain the animals.

To be corrected by 1/13/07.

**3.127 (d)
FACILITIES, OUTDOOR.**

<<Perimeter fence. On or after May 17, 2000, all outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences less than 8 feet high for potentially dangerous animals, such as, but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, ... The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility...>>

At least 3 of the 16 animals were able to leave the facility due to a large snowstorm with drifting along the inside perimeter fence, effectively reducing its height below 8'. It also was not able to function as a secondary containment for the animals since the primary enclosure fence on the northeast side had been removed by the owner earlier in the year. One animal traveled ~9 miles along a nearby highway before being contained by local law enforcement and collected by the owner. Two other animals did return on their own after an altercation with neighboring dogs.

The perimeter fence must be of sufficient height and constructed so that it protects the animals in the facility and can function as a secondary containment system for the animals in the facility.

Prepared By: Tracy Thompson, V.M.O.
TRACY THOMPSON, V.M.O., USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER, Inspector ID: 5044
Received By: _____
via certified mail
Title: 7006 0100 0001 0684 6788

Date:
JAN-10-2007
JAN 18 2007
Date:
JAN-10-2007