



INSPECTION REPORT

37482 cust\_id  
249282 insp\_id  
43587 site\_id

CROWDER COLLEGE

Customer ID: 37482

Certificate: 43-R-0118

Site: 001

CROWDER COLLEGE

Inspection

Type: ROUTINE INSPECTION

Date: SEP-19-2006

601 LACLEDE AVENUE  
NEOSHO, MO 64850

3.6 (b)(4)

PRIMARY ENCLOSURES.


(b) Additional requirements for cats.

(4) Resting surfaces. Each primary enclosure housing cats must contain a resting surface or surfaces that, in the aggregate, are large enough to hold all the occupants of the primary enclosure at the same time comfortably. The resting surfaces must be elevated, impervious to moisture, and be able to be easily cleaned and sanitized, or easily replaced when soiled or worn. Low resting surfaces that do not allow the space under them to be comfortably occupied by the animal will be counted as part of the floor space.

\* 8 enclosures containing 8 cats did not have elevated resting surfaces. Resting surfaces are required for feline species in order to allow for species-typical postures, social adjustments, behaviors, and movements. The facility must provide sanitizable or replaceable resting surfaces for all cats. The resting surfaces must be large enough to hold all the occupants of the primary enclosure at the same time comfortably.

To be corrected by: 10-03-06.

Prepared By:

  
TANYA TIMS, V.M.O., USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER, Inspector ID: 5045

Received By:

sent via email

Title:

Date:

SEP-20-2006

OCT - 5 2006

Date:

SEP-20-2006