



INSPECTION REPORT

**NORTH CAROLINA STATE
UNIVERSITY**

**Customer ID: 842
Certificate: 55-R-0005**

**CAMPUS BOX 7514
RALEIGH, NC 27695 7514**

**Site: 001
NORTH CAROLINA STATE
UNIVERSITY
Inspection
Type: ROUTINE INSPECTION
Date: JUL-05-2007**

**3.125 (a)
FACILITIES, GENERAL.**

Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

***In the Teaching Animal Unit goat shelter, part of the wire metal fence to keep kids inside was bent and pulled away from support fence. Need to remove/replace damaged wire mesh fence to prevent injuries. Correct by August 1, 2007.

***In the Teaching Animal Unit dairy barn, one metal pole gate was rusted out on the end and bottom. Need to replace damaged gate to prevent injury. Correct by August 1, 2007.

**3.127 (a)
FACILITIES, OUTDOOR.**

Shelter from sunlight. When sunlight is likely to cause overheating or discomfort of the animals, sufficient shade by natural or artificial means shall be provided to allow all animals kept outdoors to protect themselves from direct sunlight.


***In Teaching Animal Unit, one dairy calf was housed outside in a plastic commercial calf hutch with a small pen attached. The only shade present was inside the calf hutch. Outside temperature was measured at approximately 94 degrees F in the afternoon. Temperature inside hutch was approximately 102 degrees F. Calf was outside the hutch in full sun. Adequate shade needs to be provided in hot weather so that shaded area is cooler than full sun areas to allow relief from heat. Correct by July 10, 2007.

**3.128
SPACE REQUIREMENTS.**

Enclosures shall be constructed and maintained so as to provide sufficient space to allow each animal to make normal postural and social adjustments with adequate freedom of movement.

***One small boar was housed in a gestation crate in the Teaching Animal Unit gestation house. The crate was narrow (approx. 2 feet wide) and the boar could not turn around. While the sows in this house are under an IACUC exemption for space requirements, boars are not included in the exemption. All boars should have adequate space to allow normal postural movements. Corrected during inspection.

Prepared By:


F BINKLEY, D V M, USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER . Inspector ID: 1020

Date:

JUL-05-2007

Received By:

Date:

JUL-06-2007

Title:



INSPECTION REPORT

JUL 10 2007

842 cust_id

306156 Insp_id

7496 site_id

3.131 (d)

SANITATION.

Pest control. A safe and effective program for the control of insects, ectoparasites, and avian and mammalian pests shall be established and maintained.

***At Lake Wheeler Swine Unit, flies were extremely numerous. Fly bait stations were overdue for changing and were filled with dead flies. Need to keep fly bait stations changed often enough to keep fly populations down to a reasonable level. Correct by July 7, 2007.

NOTE: This inspection did not include Equine Health Center in Southern Pines, NC.

Prepared By: _____

F BINKLEY, D V M, USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER, Inspector ID: 1020

Date:

JUL-05-2007

Received By: _____

Date:

JUL-06-2007

Title: