



1503 cust_id
273157 insp_id
4595 site_id

INSPECTION REPORT

STILLMEADOW, INC.

Customer ID: 1503

Certificate: 74-R-0049

12852 PARK ONE DRIVE
SUGAR LAND, TX 77478

Site: 001

STILLMEADOW, INC.

Inspection

Type: ROUTINE INSPECTION

Date: DEC-06-2005

2.31 (c) (3)

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

With respect to activities involving animals, the IACUC serves as a agent of the research facility, shall inspect, at least once every six months all of the reseach facility's animal facilities. If facility deficiencies are noted, the report must contain a reasonable and specific plan and schedule with dates for correction each deficiency. I reviewed the last two semiannual facility reports and it was noted that the IACUCs' facility review report failed to have specific plans and scheduled dates for correcting deficiencies. This noncompliant item was pointed out to management for correction in order to be in compliance with the Animal Welfare Regulations.

TO BE CORRECTED BY: 3/13/06.

2.33 (a)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

Each research facility shall have an attending veterinarian who shall provide adequate veterinary care to its animals. Expired medical materials (sutures) were noted in the animal tech laboratory room. These noncompliant items were pointed out to management for corrections. Management was informed that the use of expired medical materials such as drugs, fluids, or sutures on regulated animals is not considered to be acceptable veterinary practice and does not constitute adequate veterinary care as required by the regulations promulgated under the Animal Welfare Act. All expired medical materials found in a licensed or registered facility are to be brought to the attention of the responsible official. The facility must either dispose of all such materials or segregate them in an appropriately labeled, physically separate location from non-expired materials. The Animal and Plant Health Inspection Service (APHIS) has no jurisdiction over facilities using expired medical materials for non-regulated animals or non-regulated activities. Corrected immediately.

3.6 (a) (2) (x) REPEAT NCI DIRECT

PRIMARY ENCLOSURES.

Primary enclosures must be designed, constructed and maintained so that they have floors that a constructed in a manner that protects the dogs' and cats' feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs' and cats' feet to pass through any openings in the floor. The primary enclosures for five cats were noted to contained slats that allowed the cats' feet to pass through openings in the floor. This noncompliant item needs to be corrected to protect the animals from injury.

Prepared By:

Earnest Johnson DVM-VMO
EARNEST JOHNSON, V.M.O., USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER, Inspector ID: 4048

Date:

DEC-06-2005

Received By:

Date:

DEC-06-2005

Title: CERT. MAIL # 7005 0390 0005 7321 7182

DEC 15 2005



1503 cust_id
273157 insp_id
4595 site_id

INSPECTION REPORT

The last routine inspection was conducted on 07/18/05. This routine inspection and exit review were conducted with management and USDA VMO, Earnest Johnson.

Inventory: 112-dogs, 142-cats, 105-rabbits, 125-guinea pigs and 15-pigs.



SENDER COMPLETE THIS SECTION
RECIPIENT COMPLETE THIS SECTION

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

Prepared By: Earnest Johnson DVM-VMO
EARNEST JOHNSON, V.M.O., USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER, Inspector ID: 4048

Date: DEC-06-2005

Received By: _____

Title: CERT. MAIL # 7005 0390 0005 7321 7182

Date: DEC-06-2005

DEC 15 2005