



INSPECTION REPORT

TEXAS A & M UNIVERSITY AT
KINGSVILLE

Customer ID: 1497

Certificate: 74-R-0094

Site: 001

KINGSVILLE - TEXAS A & M
UNIVERSITY

Inspection

Type: ROUTINE INSPECTION

Date: SEP-18-2006

M S C 102, 700 UNIVERSITY BLVD
TEXAS A & M UNIVERSITY - KINGSVILLE
KINGSVILLE, TX 78363 8202

2.31 (c) (3)

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

(c) IACUC Functions. With respect to activities involving animals, the IACUC, as an agent of the research facility, shall: (3) Prepare reports of its evaluations conducted as required by paragraphs (c)(1) and (2) of this section, and submit the reports to the Institutional Official of the research facility....

Minutes of the last IACUC meeting held on 5/5/06 and record of the facility inspection were not available at time of inspection . Meeting minutes and records of inspection shall be available at time of inspection . Correct By : 10-18-06

3.125 (a)

FACILITIES, GENERAL

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

The roof for the shelter of one white tail buck housed at the North Deer Pens is falling apart . The exposed nails and tin may cause injury to the animal . The roof needs to be repaired or replaced to prevent injury. Correct By : 9-29-06

Note : May Hall was not inspected this date. The South Deer Pens were not inspected due to flooded roads from recent heavy rains.

Prepared By:

ELIZABETH PANNILL, V.M.O. , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 4018

Date:

SEP-18-2006

Received By:

sent by email

Date:

SEP-18-2006

Title: